

ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID
 S25-0160765 Your Reference MESKOS DAM - DEC 2025
 Product Water
 Description WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160765 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160765 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160765 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID
 S25-0160766 Your Reference HARRISON 'S DAM - DEC 2025
 Product Water
 Description WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160766 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160766 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160766 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID
 S25-0160763 Your Reference RIVER DAM- DEC 2025
 Product Water
 Description WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160763 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160763 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160763 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID
 S25-0160762 Your Reference MAIN DAM - DEC 2025
 Product Water
 Description WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160762 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160762 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160762 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID	Your Reference	INDIA- DEC 2025
S25-0160761	Product	Water
	Description	WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160761 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160761 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160761 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention:	John Conte	Purchase Order:	REC 9/12/25
Client:	Mason Bros	Date Sampled:	
Address:	1 Masons Lane WERRIBEE SOUTH VIC 3030	Date Received:	09-Dec-2025

The following sample was analysed:

Sample ID	Your Reference	MASON LANE DAM - DEC 2025
S25-0160764	Product	Water
	Description	WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160764 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160764 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160764 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID
 S25-0160760 Your Reference ALABAKIS - DEC 2025
 Product Water
 Description WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160760 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160760 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160760 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		



ANALYSIS REPORT

Final Report

Job No: J2512-1112
Date Issued: 15-Dec-2025
Report Number: 453970

Attention: John Conte
Client: Mason Bros
Address: 1 Masons Lane
 WERRIBEE SOUTH VIC 3030

Purchase Order: REC 9/12/25
Date Sampled:
Date Received: 09-Dec-2025

The following sample was analysed:

Sample ID
 S25-0160767 Your Reference BALLIANG MAIN - DEC 2025
 Product Water
 Description WATER

Analysis of this sample conducted on 09-Dec-2025

Analysis Results

Determinant	Result Value
Ecoli - MPN (EHS) - Water (TP_DML_W/047)	
S25-0160767 E.coli	<1 MPN/100mL
Listeria spp (TP_DML_W_071)	
S25-0160767 Listeria spp /100ml	Not Detected
Salmonella spp - Vidas - Membrane Filtration (TP_DML_W_073)	
S25-0160767 Salmonella sp /100ml	Not Detected

Note: All samples are analysed on an 'as received' basis, all results are based on the sample received. This report is not to be reproduced except in full.

Please refer to the following link for the measurement of uncertainty values for all NATA accredited analysis

<https://services.awta.com.au/AFTMeasurementUncertainty/index.php>

Please Note: If this sample was taken greater than 24 hours prior to the commencement of testing; the integrity of the sample may have been affected which may have influenced the final results.

The sample(s) referred to in this report were analysed for the following determinant(s):

Analysis	Method	Laboratory
Ecoli - MPN (EHS) - Water	TP_DML_W/047	Derrimut Microbiology Laboratory - VIC
Listeria spp	TP_DML_W/071	Derrimut Microbiology Laboratory - VIC
Salmonella spp - Vidas - Membrane Filtration	TP_DML_W/073	Derrimut Microbiology Laboratory - VIC

The results in this report were authorised by:

Name	Title	Name	Title
Robert Rantino	National Laboratory Operations Manager		

